

# RS4220SDCAZHSK


21.5" Android Network Digital Signage






### RS4220SDCAZHSK

#### 21.5" Android Network Digital Signage









Digital Signage is the remote-controlled distribution and playback of digital content (TV programs, advertising, menus, and every sort of information) on networks of displays. These displays can range from digital billboards to much smaller screens, either at a single location or across multiple sites. It's all about targeting the audience with relevant information. Digital signage enables users to display their messages more dynamically and targeted.

RS4220SDCAZHSK has demonstrated a Digital Signage application on android platform. The application provides the features of updating the content from remote web browser, playback of video content, image, HTML web pages and scrolling text messages.

#### **FEATURES**

- Android 7.1 operating system
- Rockchip RK3288 Quad-core CPU
- · 2/4GB DDR3 + 8/16GB Flash
- 802.11 b/g/n internal Wifi
- 3G/WIFI/WLAN Network connection
- · Remote Management Software
- · Portrait & Landscape display mode
- 1080P Display output

- · Auto Dispenser
- Waterproof
- PCAP Touch Screen (option)
- Battery (option)
- · Camera (option)
- Free Standing Bracket (option)
- Replaceable Drip Trays 5000ML Volume
- · Indicatior Light for Sanitiser



## RS4220SDCAZHSK

### 21.5" Android Network Digital Signage



PANEL	Panel Model	21.5inch TET LED
PANEL	Max Resolution	1920×1080
	Aspect Ratio	16:09
	Pixel Pitch	0.24825x0.24825
	Viewing Angle	89/89/89/89
	Contrast Ratio	3000:1
	Brightness	250cd/m <sup>2</sup>
	Response Time	18ms
		476.64x268.11mm
	Display Area (mm) Panel Size(mm)	476.64X268.1111111 495.6X292.2X8.6mm
	Screen Weight	
	Lamp Type	1.67Kg WLED
	Lamp Type	WLLD
INTERNAL MEDIA PLAYER	CPU	Quad-core ARM Cortex-A17,1.8GHz
	GPU	ARM Mali-T764
	RAM	2/4GB DDR3
	ROM	8/16 GB Flash
	OS	Android 7.1
CONNECTOR	USB2.0	X1
CONNECTIVITY	WiFi	Built-in WiFi 802.11B/G/N
FILE S UPPORT	Video	H.264, MKV, WMV9, MPEG 1/2/4,
		HD Divx, X vid, R M/R MV B;
	Image	BMP/PNG/GIF/J PEG
	Audio	MP3,WMA,WAV,EAAC+, MP2 dec,
		Vorbis (Ogg), AC3, FLAC, APE, BSAC
	S crolling Text	txt

HDMI DIS PLAY	Output Mode	HDMI 480P HDMI 576P HDMI 720P 50Hz HDMI 720P 60Hz HDMI 1080I 50Hz HDMI 1080I 60Hz HDMI 1080P 24Hz HDMI 1080P 50Hz HDMI 1080P 60Hz
ON-SCREEN DISPLAY LANGUAGES		English, French, German, Italian, Polish Russian, Simplified Chinese, Spanish, Turkish, Arabic, Japanese, Traditional Chinese etc.
DISPLAYMODE		Portrait & Landscape
TOUCH		PCAPTouch
POWER	Mains P ower C onsumption	AC 100-240V, 50-60 Hz 25 W
DIMENSION & WEIGHT	Machine S ize Machine Weight Carton S ize Carton Weight	
OTHER	Regulatory Approvals Warranty	CE, FCC, ROHS 1 year warranty
ACCESSORIES	Included	Power supply, Tools and Screws